

CERTIFICATE OF COMPLIANCE

Certificate Number E229161
Report Reference E229161-20021204
Issue Date 2020-JULY-23

Issued to: FLEXICON LTD
Roman Way
Coleshill
Birmingham, B46 1HG UNITED KINGDOM

This certificate confirms that representative samples of COMPONENT - TUBING, MECHANICAL PROTECTION AND FITTINGS

Refer to addendum page

Have been investigated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.


Standard(s) for Safety: UL 1696, Mechanical Protection Tubing (MPT) and Fittings

Additional Information: See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information.

This *Certificate of Compliance* does not provide authorization to apply the UL Recognized Component Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number E229161
Report Reference E229161-20021204
Issue Date 2020-JULY-23

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Tubing, mechanical protection, Type NMPT-C (corrugated) Tubing Cat. Nos.

FPAS Series: FPAS13#, FPAS16#, FPAS18#, FPAS20#, FPAS21#, FPAS25#, FPAS28#, FPAS28C#, FPAS34F#, FPAS34#, FPAS42#, FPAS54#, FPAS67#.

FPAL Series: FPAL16#, FPAL18#, FPAL20#, FPAL21#, FPAL25#, FPAL28#, FPAL34#, FPAL42#, FPAL54#, FPAL67#.

FPAH Series: FPAH16B, FPAH18B, FPAH20B, FPAH21B, FPAH25B, FPAH28B, FPAH34B, FPAH42B, FPAH54B.

FPR Series: FPR16B, FPR18B, FPR20B, FPR21B, FPR25B, FPR28B, FPR34B, FPR42B, FPR54B.

FPI Series: FPI16B, FPI18B, FPI20B, FPI21B, FPI25B, FPI28B, FPI34B, FPI42B, FPI54B, FPI67B.

FPIH Series: FPIH16B, FPIH18B, FPIH20B, FPIH21B, FPIH25B, FPIH28B, FPIH 34B, FPIH42B, FPIH54B.

- Replaced by "B" or "G" indicating the color, black or grey respectively.

FPA System Nylon Fittings for use with the NMPT-C FPAS, FPAL, FPAH, FPR, FPI and FPIH Series.

Straight External Thread / Nylon Metric Thread Fittings –


FPA13-M12#, FPA13-M16#, FPA13-M20#, FPA16-M16#, FPA16-M20#, FPA18-M20#, FPA20-M20#, FPA21-M20#, FPA21-M25#, FPA25-M25#, FPA28-M25#, FPA28-M32#, FPA34-M32#, FPA34-M40#, FPA42-M40#, FPA42-M50#, FPA54-M50#, FPA54-M63#, FPA67-M63#.

Straight External Thread / Nylon PG Thread Fittings –

FPA13-PG7#, FPA13-PG9#, FPA13-PG11#, FPA16-PG9#, FPA16-PG11#, FPA16-PG13#, FPA16-PG16#, FPA18-PG13#, FPA18-PG16#, FPA21-PG11#, FPA21-PG13#, FPA21-PG16#, FPA21-PG21#, FPA28-PG21#, FPA28-PG29#, FPA34-PG29#, FPA42-PG36#, FPA54-PG42#, FPA54-PG48#, FPA67-PG48#.

Straight External Thread / Nylon NPT Thread Fittings –

FPA16-038#, FPA16-050#, FPA21-050#, FPA28-075#, FPA34-100#, FPA42-125#, FPA42-150#, FPA54-150#, FPA54-200#, FPA67-200#.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number E229161
Report Reference E229161-20021204
Issue Date 2020-JULY-23

90 Degree Elbow External Thread / Nylon Metric Thread Fittings –

FPA13-M16-90#, FPA16-M16-90#, FPA16-M20-90#, FPA18-M20-90#, FPA20-M20-90#, FPA21-M20-90#, FPA25-M25-90#, FPA28-M25-90#, FPA34-M32-90#, FPA42-M40-90#, FPA42-M50-90#, FPA54-M50-90#, FPA54-M63-90#, FPA67-M63-90#.

90 Degree Elbow External Thread / Nylon PG Thread Fittings –

FPA13-PG9-90#, FPA16-PG9-90#, FPA16-PG11-90#, FPA16-PG13-90#, FPA18-PG13-90#, FPA21-PG13-90#, FPA21-PG16-90#, FPA28-PG21-90#, FPA34-PG29-90#, FPA42-PG36-90#, FPA54-PG48-90#, FPA67-PG48-90#.

90 Degree Elbow External Thread / Nylon NPT Thread Fittings –

FPA16-050-90#, FPA21-050-90#, FPA28-075-90#, FPA34-100-90#, FPA42-125-90#, FPA42-150-90#, FPA54-150-90#, FPA54-200-90#, FPA67-200-90#.

45 Degree Elbow External Thread / Nylon Metric Thread Fittings –

FPA16-M20-45#, FPA21-M20-45#, FPA28-M25-45#, FPA34-M32-45#, FPA42-M50-45#, FPA54-M50-45#.

45 Degree Elbow External Thread / Nylon PG Thread Fittings –

FPA16-PG13-45#, FPA21-PG13-45#, FPA21-PG16-45#, FPA28-PG21-45#, FPA34-PG29-45#, FPA42-PG36-45#.

45 Degree Elbow External Thread / Nylon NPT Thread Fittings –

FPA16-050-45#, FPA21-050-45#, FPA28-075-45#, FPA34-100-45#, FPA42-125-45#, FPA42-150-45#, FPA54-150-45#, FPA54-200-45#.

Coupler Fittings (FPA-FPA) –

FPA16-FPA16#, FPA20-FPA20#, FPA21-FPA21#, FPA25-FPA25#, FPA28-FPA28#, FPA34-FPA34#, FPA42-FPA42#, FPA54-FPA54#.

T Piece with Inspection Lid (FPA-T) Fittings –

FPA16T#, FPA20T#, FPA21T#, FPA28T#, FPA34T#, FPA42T#.

Reducing Divider (FPA-Y) Fittings –



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number E229161
Report Reference E229161-20021204
Issue Date 2020-JULY-23

FPA16-13-13#, FPA21-16-16#, FPA28-21-21#, FPA34-28-28#.

- Replaced by "B" or "G" indicating the color, black or grey respectively.

FPAX System Nylon Fittings for use with the NMPT-C FPAS, FPAL, FPAH, FPR, FPI and FPIH Series.

Straight External Thread / Nylon Metric Thread Fittings –

FPAX13-M16B, FPAX16-M16B, FPAX16-M20B, FPAX21-M20B, FPAX21-M25B, FPAX28-M25B, FPAX28-M32B, FPAX34-M32B, FPAX34-M40B, FPAX42-M40B, FPAX42-M50B, FPAX54-M50B, FPAX54-M63B.

Straight External Thread / Nylon PG Thread Fittings –

FPAX13-PG9B, FPAX13-PG11B, FPAX16-PG9B, FPAX16-PG11B, FPAX16-PG13B, FPAX16-PG16B, FPAX21-PG13B, FPAX21-PG16B, FPAX21-PG21B, FPAX28-PG21B, FPAX28-PG29B, FPAX34-PG29B, FPAX42-PG36B, FPAX54-PG42B, FPAX54-PG48B.

Straight External Thread / Nylon NPT Thread Fittings –

FPAX16-038#, FPAX16-050#, FPAX21-050#, FPAX28-075#, FPAX34-100#, FPAX42-125#, FPAX42-150#, FPAX54-150#, FPAX54-200#.

90 Degree Elbow External Thread / Nylon Metric Thread Fittings –

FPAX13-M16-90B, FPAX16-M16-90B, FPAX16-M20-90B, FPAX21-M20-90B, FPAX28-M25-90B, FPAX34-M32-90B, FPAX42-M40-90B, FPAX42-M50-90B, FPAX54-M50-90B, FPAX54-M63-90B.

90 Degree Elbow External Thread / Nylon PG Thread Fittings –


FPAX13-PG9-90B, FPAX16-PG9-90B, FPAX16-PG11-90B, FPAX16-PG13-90B, FPAX21-PG13-90B, FPAX21-PG16-90B, FPAX28-PG21-90B, FPAX34-PG29-90B, FPAX42-PG36-90B, FPAX54-PG48-90B.

90 Degree Elbow External Thread / Nylon NPT Thread Fittings –

FPAX16-050-90#, FPAX21-050-90#, FPAX28-075-90#, FPAX34-100-90#, FPAX42-125-90#, FPAX42-150-90#, FPAX54-150-90#, FPAX54-200-90#.

45 Degree Elbow External Thread / Nylon Metric Thread Fittings –

FPAX16-M20-45B, FPAX21-M20-45B, FPAX28-M25-45B, FPAX34-M32-45B, FPAX42-M50-45B, FPAX54-M50-45B.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number E229161
Report Reference E229161-20021204
Issue Date 2020-JULY-23

45 Degree Elbow External Thread / Nylon PG Thread Fittings –

FPAX16-PG13-45B, FPAX21-PG13-45B, FPAX21-PG16-45B, FPAX28-PG21-45B, FPAX34-PG29-45B, FPAX42-PG36-45B.

45 Degree Elbow External Thread / Nylon NPT Thread Fittings -

FPAX16-050-45B, FPAX21-050-45B, FPAX28-075-45B, FPAX34-100-45B, FPAX42-150-45B, FPAX54-150-45B.

Coupler Fittings (FPAX-FPAX) –

FPAX16-FPAX16#, FPAX21-FPAX21#, FPAX28-FPAX28#, FPAX34-FPAX34#, FPAX42-FPAX42#, FPAX54-FPAX54#.

T Piece with Inspection Lid (FPAX-T) Fittings –

FPAX16T#, FPAX21T#, FPAX28T#, FPAX34T#, FPAX42T#.

Reducing Divider (FPAX-Y) Fittings –

FPAX16-13-13#, FPAX21-16-16#, FPAX28-21-21#, FPAX34-28-28#.

- Replaced by “B” or “G” indicating the color, black or grey respectively.

Flexilok (FLK) Fittings for use with the NMPT-C FPAS, FPAL, FPAH, FPR, FPI and FPIH Series.

Fixed Straight Nylon Metric Thread Fittings –


FLK16-M16, FLK16-M20, FLK20-M20, FLK21-M20, FLK25-M25, FLK28-M25, FLK34-M32, FLK2T42-M40, FLK42-M40, FLK2T42-M50, FLK42-M50, FLK2T54-M50, FLK54-M50 FLK2T54-M63 and FLK54-M63.

Fixed Straight Nylon PG Thread Fittings –

FLK16-PG9, FLK16-PG11, FLK16-PG13, FLK16-PG16, FLK21-PG13, FLK21-PG16, FLK28-PG21, FLK34-PG29, FLK2T42-PG36, FLK42-PG36, FLK2T54-PG48, FLK54-PG48.

Fixed Straight Nylon NPT Thread Fittings –

FLK54-200#



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number E229161
Report Reference E229161-20021204
Issue Date 2020-JULY-23

90 Degree Elbow Nylon Metric Thread Fittings –

FLK16-M16-90#, FLK16-M20-90#, FLK20-M20-90#, FLK21-M20-90#, FLK25-M25-90#, FLK28-M25-90# and FLK34-M32-90#.

90 Degree Elbow Nylon PG Thread Fittings –

FLK16-PG9-90#, FLK16-PG11-90#, FLK16-PG13-90#, FLK21-PG13-90#, FLK21-PG16-90#, FLK28-PG21-90#, FLK34-PG29-90#.

45 Degree Elbow Nylon Metric Thread Fittings –

FLK16-M16-45#, FLK16-M20-45#, FLK20-M20-45#, FLK21-M20-45#, FLK25-M25-45#, FLK28-M25-45# and FLK34-M32-45#.

Coupler Fittings (FLK-FLK) –

FLK16-FLK16, FLK20-FLK20, FLK21-FLK21, FLK25-FLK25, FLK28-FLK28, FLK134-FLK34.

Straight Nylon Flange -

FLK54-FL#

- Replaced by “B” or “G” indicating the color, black or grey respectively.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

